New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 Atlantic County Residents

			Adult/Adol	Lescent *		Pediat	ric *			Tota	1
		AIDS Category	Cases	8		Cases	%			ases	%
AIDS	-Any OI -CD4 Only		# #	#		##	 # #		_	190 503	13 36
HIV	Only 		711	51 		6	75			717	51
Tota			1402	100		8	100			1410	100
Curre	ent * Cases	8	3. Race/E	₹+h		Adult/ Cases	/Adl* 1	Pedia Cases		Tota Cases	1
_											
<5	#	#		, Not His	-	347		0	0	347	
5-12		#		, Not His	panic	774			88	781	
13-1		1	Hispar					#	#	259	
20-29 30-39		4 21	Otner/	/Unknown		#	#	#	#	23	2
40-4		45	Total			1402			100	1410	
50+	419	30	IOCAI			1402	100	O	100	1410	100
50.	117										
Unk.	0	0									
Unk. Tota		0 100									
Tota	1 1410	100		Males	왕	dolescer	Female	s %		ure Cate Tota	.1 %
Tota	l 1410	100		Males	% 	dolescer	Female:	s % 		Tota	1 %
Total 4. Patio	l 1410 ent Group	100 nen (MSM)		Males 323	% 32	dolescer	Female:	s % 		Tota 32	.1 % :3 23
Total 4. Patio Men s Injection	1 1410 ent Group sex with ction dru	100		Males 323 337	% 32 34	dolescer	Female:	s % 0 42		Tota 32 50	1 % 3 23 5 36
Tota: 4. Pation Men : Injection	1 1410 ent Group entsex with ction dru	100 nen (MSM)		Males 323	% 32 34 5	dolescer	Female: 0 168	s % 0 42 0		Tota 32 50	1
Total 4. Patic Men : Injection MSM/ Hete: Risk	1 1410 ent Group esex with ction dru IDU rosexual not repo	men (MSM) ug user (IDU) contact***		Males 323 337 50 231 56	% 32 34 5 23	dolescer	Females 0 0 168 0 206 25	s % 0 42 0 52 6		Tota 32 50 5 43	1.1 8 2
Total 4. Patic Men : Injection MSM/ Hete: Risk	1 1410 ent Group esex with ction dru IDU rosexual not repo	men (MSM) ug user (IDU) contact***		Males 323 337 50 231	% 32 34 5 23	dolescer	Females 0 168 0 206	s % 0 42 0 52 6		Tota 32 50 5	1 8
Tota: 4. Pation Men : Injection MSM/ Hete: Risk	1 1410 ent Group esex with ction dru IDU rosexual not repo	men (MSM) ug user (IDU) contact***		Males 323 337 50 231 56	% 32 34 5 23 6 100		Female:	s % 0 42 0 52 6 100		Tota 32 50 5 43 8	1
Total 4. Pation Men : Inject MSM/I Hete: Risk Total	ent Group sex with ction dru IDU rosexual not repo	men (MSM) ug user (IDU) contact***		Males 323 337 50 231 56 997	% 32 34 5 23 6 100		Female:	s % 0 422 0 522 6 100 ed Exs	posur	Tota 32 50 5 43 8 139 re Catego	1 % 23 23 5 36 0 4 7 31 6 1 6 100 ories 1 %
Total 4. Patio Men : Inje MSM/: Hete: Risk Total	ent Group sex with ction dru IDU rosexual not repo	men (MSM) ug user (IDU) contact***		Males 323 337 50 231 56 997	% 32 34 5 23 6 100		Female:	s % 0 422 0 52 6 100 ed Exs	posur	Tota 32 50 5 43 8 139 Te Catego	1
Total 4. Patio 4. Patio Men : Inje MSM/ Hete: Risk Total	ent Group sex with ction dru IDU rosexual not repo	men (MSM) ug user (IDU) contact***		Males 323 337 50 231 56 997 Males	% 32 34 5 23 6 100		Females	s % 0 42 0 52 6 100 ed Ex s % #	posur	Tota 32 50 5 43 8 139 Te Catego	1

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2005.
- ** 6 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Atlantic County Residents

	Adult/Ado	lescent*	Pedi	atric*	То	tal
1. Disease Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	357 (21)	283 (79)	9 (60)	6 (67)	366 (21)	289 (79)
Other OI w/o PCP	405 (24)	314 (78)	6 (40)	5 (83)	411 (24)	319 (78)
KS Alone	21 (1)	15 (71)	0 (0)	0 (.)	21 (1)	15 (71)
No Disease Listed	908 (54)	390 (43)	0 (0)	0 (.)	908 (53)	390 (43)
Total	1691 (100)	1002 (59)	15 (100)	11 (73)	1706 (100)	1013 (59)
2. Age * Cases	% 3. Race	/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %	
1 = 40					=44 00	

Adult/Adolescent Modified Exposure Categories **

					Addit/	AUL	rediaci	IC	IULAI	
2.	Age *	Cases	왕	Race/Eth.	Cases	용	Cases	8	Cases	용
	Under 5	12	1	White, Not Hispanic	#	#	#	#	514	30
	5-12	#	#	Black, Not Hispanic	927	55	9	60	936	55
	13-19	#	#	Hispanic	#	#	#	#	245	14
	20-29	235	14	Other/Unknown	11	1	0	0	11	1
	30-39	727	43							
	40-49	523	31	Total	1691	100	15	100	1706	100
	Over 49	202	12							
	Unknown	0	0							
	Total	1706	100							

4. Patient Group	4.	Patient	Group	
------------------	----	---------	-------	--

_	Males	용	Females %	Total	%
Men sex with men (MSM)	452	35	0 0	452	27
Injection drug user (IDU)	523	40	210 55	733	43
MSM/IDU	94	7	0 0	94	6
Heterosexual contact***	184	14	143 37	327	19
Risk not reported/other***	56	4	29 8	85	5
Total	1309	100	382 100	1691	100

	Males	Pedia %	tric Modified Females	-	Categories Total	%
Parent at risk/has AIDS/HIV	7	 78		100	13	87
Risk not reported/other***	#	#	0	0	#	#
Total	9	100	6	100	15	100

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of AIDS diagnosis.
- ** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- $\ensuremath{^{****}}$ Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Atlantic County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	10	10	100%
1985	10	9	90%
1986	15	15	100%
1987	23	22	96%
1988	52	48	92%
1989	98	87	89%
1990	103	87	84%
1991	101	92	91%
1992	148	126	85%
1993	156	121	78%
1994	132	82	62%
1995	138	70	51%
1996	104	50	48%
1997	95	41	43%
1998	69	32	46%
1999	83	38	46%
2000	74	22	30%
2001	80	20	25%
2002	63	15	24%
2003	59	13	22%
2004	62	#	#
2005	31	#	#
Total	1706	1013	59%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 Atlantic County Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	%	Race/Ethnicity	Cases	%	Cases	%	Cases	%
Under 5	8	1	White, Not Hispanic	209	25	0	0	209	25
5-12	#	#	Black, Not Hispanic	456	54	8	80	464	55
13-19	17	2	Hispanic	#	#	#	#	161	19
20-29	204	24	Other/Unknown	#	#	#	#	16	2
30-39	348	41							
40-49	218	26	Total	840	100	10	100	850	100
Over 49	53	6							
Unknown	#	#							
Total	850	100							

Patient Group	Ad	ult/Adol	escent Modif	ied Expos	sure Catego:	ries *
	Males	%	Females	%	Total	%
Men sex with men (MSM)	 177	31		0	 177	 21
Injection drug user (IDU)	211	37	119	44	330	39
MSM/IDU	26	5	0	0	26	3
Heterosexual contact***	124	22	138	51	262	31
Risk not reported/other***	31	5	14	5	45	5
Total	569	100	271	100	840	100
		Pedia	tric Modifie	d Exposu	re Categorie	es
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV		#	#	#	9	90
Risk not reported/other***	#	#	#	#	#	#

- * Classification at time of first HIV+ test.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Atlantic County Residents

		Adult/Ado	olescent *	Pediat	ric *	Total		
1. Curi	rent HIV/AIDS Category	Cases	%	Cases	૪	Cases	%	
AIDS	S-Any OI	847	33	15	60	862	34	
AIDS	S-CD4 Only	844	33	0	0	844	33	
HIV	Only	840	33	10	40	850	33	
Tota	al	2531	100	25	100	2556	100	

				Adult/	*lbA	Pediat	ric*	То	tal
2. Age *	Cases	%	Race/Eth.	Cases	%	Cases	%	Cases	%
Under 5	20	1	White, Not Hispanic	#	#	#	#	723	28
5-12	5	0	Black, Not Hispanic	1383	55	17	68	1400	55
13-19	28	1	Hispanic	401	16	5	20	406	16
20-29	524	21	Other/Unknown	#	#	#	#	27	1
30-39	1098	43							
40-49	665	26	Total	2531	100	25	100	2556	100
Over 49	216	8							
Unknown	0	0							
Total	2556	100							

4.	Patient Group	Ad	Exposure (Categories **				
		Males	용	Females	%		Total	%
	Men sex with men (MSM)	629	33	0	0		629	25
	Injection drug user (IDU)	734	39	329	50		1063	42
	MSM/IDU	120	6	0	0		120	5
	Heterosexual contact***	308	16	281	43		589	23
	Risk not reported/other***	87	5	43	7		130	5
	Total	1878	100	653	100		2531	100

		Pediatric	Modified	Exposure	Categories	
ľ	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	14	88	8	89	22	88
Risk not reported/other***	#	#	#	#	#	#
Total	16	100	9	100	25	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.
- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Atlantic County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis		Number Known Dead	Case-Fatality Rate	
Before 1985	17	16	94%	
1985	20	16	80%	
1986	35	28	80%	
1987	54	45	83%	
1988	94	74	79%	
1989	137	112	82%	
1990	172	133	77%	
1991	168	126	75%	
1992	289	131	45%	
1993	218	98	45%	
1994	221	93	42%	
1995	171	71	42%	
1996	129	38	29%	
1997	141	41	29%	
1998	98	27	28%	
1999	99	23	23%	
2000	100	19	19%	
2001	119	24	20%	
2002	79	12	15%	
2003	86	11	13%	
2004	68	#	#	
2005	41	#	#	
Total	2556	1146	45%	